


Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	551	709/248.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 15:58
L2	1	1 and (cluster\$3 near3 config\$7). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 15:59
L3	9	1 and (cluster\$5 ).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 16:00
L4	57	1 and (writ\$6 updat\$6 config\$8 replicat\$5 cop\$3 or duplicat\$6) near5 (primar\$6 or secondar\$6 master backup or back?up) same (configur\$5 or cluster\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 16:01
S1	2051	709/208-213.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 13:21
S2	52	S1 and cluster\$3 near3 config\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 13:47
S3	12	S2 and (writ\$6 updat\$6) near5 (primar\$6 or secondar\$6 master backup or back?up)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 12:29
S4	16	S2 and ((writ\$6 updat\$6 config\$8) near5 (primar\$6 or secondar\$6 master backup or back?up)))".clm"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 12:29
S5	16	S2 and ((writ\$6 updat\$6 config\$8) near5 (primar\$6 or secondar\$6 master backup or back?up)))".clm."	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 13:17
S6	13351	(sun adj1 microsystems).asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 13:37
S7	26	S6 and (cluster\$3 near3 config\$7).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 13:22

S8	507	S6 and ((writ\$6 updat\$6 config\$8) near5 (primar\$6 or secondar\$6 master backup or back?up))".clm."	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 13:18
S9	2	S6 and ((writ\$6 updat\$6 config\$8) near5 (primar\$6 or secondar\$6 master backup or back?up) same cluster\$6).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 13:19
S10	3	S6 and ((writ\$6 updat\$6 config\$8) near5 (primar\$6 or secondar\$6 master backup or back?up) same cluster\$6).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 13:22
S11	7843	709/201-203.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 13:47
S12	31	S11 and (cluster\$3 near5 config\$7).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 13:22
S13	7	S12 and ((writ\$6 updat\$6 config\$8) near5 (primar\$6 or secondar\$6 master backup or back?up) same cluster\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 13:26
S14	19	S6 and ((writ\$6 updat\$6 config\$8 replicat\$5 cop\$3 or duplicat\$6) near5 (primar\$6 or secondar\$6 master backup or back?up) same cluster\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 13:37
S15	16	(Kampe near2 mark).inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 13:32
S16	8	S15 and ((writ\$6 updat\$6 config\$8 replicat\$5 cop\$3 or duplicat\$6) near5 (primar\$6 or secondar\$6 master backup or back?up configuration) same cluster\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 13:36
S17	2445	714/4,14-16.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 13:35
S18	5	S15 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 13:36
S19	69	(sun adj1 microsystems).asn. and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 13:37

S20	4	S19 and ((writ\$6 updat\$6 config\$8 replicat\$5 cop\$3 or duplicat\$6) near5 (primar\$6 or secondar\$6 master backup or back?up) same cluster\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 13:48
S21	9312	709/220-224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 15:58
S22	189	S21 and cluster\$3 near3 config\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 13:48
S23	59	S22 and (cluster\$3 near3 config\$7).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 15:59
S24	21	S19 and (writ\$6 updat\$6 config\$8 replicat\$5 cop\$3 or duplicat\$6) near5 (primar\$6 or secondar\$6 master backup or back?up) same (configur\$5 or cluster\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 13:49
S25	57	S22 and (writ\$6 updat\$6 config\$8 replicat\$5 cop\$3 or duplicat\$6) near5 (primar\$6 or secondar\$6 master backup or back?up) same (configur\$5 or cluster\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/07/21 14:18



The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)

**Web** Results **31 - 40** of about **89,300** for **configuration data update primary and secondary repository**. (0.1

### Windows XP Embedded Team

... and a second partition (can be either **primary** or **secondary** with a logical drive)

... Now the application can **update** its **data** file whenever it wants, ...

[blogs.msdn.com/embedded/default.aspx](http://blogs.msdn.com/embedded/default.aspx) - 70k - [Cached](#) - [Similar pages](#)

### Geospatial Data Enterprise Repository: A Report on the Prototype ...

The **Data Enterprise Repository** (DER) is designed to address LMS **data** ... Table 3

denotes the **primary**, **secondary**, and tertiary category of **data** hosted by ...

<https://www.denix.osd.mil/denix/ Public/Library/LMS/Pubs/ruizfthood1.html> - 122k - [Cached](#) - [Similar pages](#)

### [PDF] BACK-END SERVERS

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... UTStarcom back-end servers support **primary**- to **secondary**-server automatic fail-

... maintenance of back-end servers, bulk **data update** interfaces enable ...

[www.utstar.com/Solutions/Document\\_Library/ Switching/docs/DS\\_SW\\_BE400639\\_0803.pdf](http://www.utstar.com/Solutions/Document_Library/ Switching/docs/DS_SW_BE400639_0803.pdf) - [Similar pages](#)

### Shared Schema Support

**Secondary** read-write namespaces must have a **primary** namespace as parent namespace.

... Adding schema **data** to a **secondary** read-write namespace that already ...

[www.openpegasus.org/pp/uploads/ 40/5192/SharedSchema1.8-PEP.html](http://www.openpegasus.org/pp/uploads/ 40/5192/SharedSchema1.8-PEP.html) - 33k - [Cached](#) - [Similar pages](#)

### docs.sun.com: Sun Cluster 3.1 Concepts Guide

The Cluster **Configuration Repository** (CCR) is a private, cluster-wide ...

If failover occurs, the **secondary** will become **primary** and the node highest in ...

[docs.sun.com/db/doc/816-3383/6m9lt7uuk?a=view](http://docs.sun.com/db/doc/816-3383/6m9lt7uuk?a=view) - 131k - [Cached](#) - [Similar pages](#)

[ [More results from docs.sun.com](#) ]

### Object-oriented database structure processing - Patent Storm

The **primary** and **secondary** processes can be virtual machines,. ... and specified

conditions to determine if attempts to insert new **data** or **update** existing. ...

[www.patentstorm.us/class/707/103Y-Object\\_oriented\\_database\\_structure\\_processing.html](http://www.patentstorm.us/class/707/103Y-Object_oriented_database_structure_processing.html) - 38k -

[Cached](#) - [Similar pages](#)

### SecondaryDNS.com --- DNS Primer (print ver.) --- Powered by UltraDNS

SecondaryDNS.com provides a low-cost, 100% reliable **secondary** DNS ... server is

not able to **update** its **data** by contacting the **primary** server for this number ...

[www.secondarydns.com/support/dnsprimer\\_prn.html](http://www.secondarydns.com/support/dnsprimer_prn.html) - 25k - [Cached](#) - [Similar pages](#)

### [PDF] Data Sheet Template

File Format: PDF/Adobe Acrobat - [View as HTML](#)

the **data** in the IIR **repository** for use by. other reporting tools. ... **primary** indexes.

**Secondary** index. functionality supports all IMS **secondary** ...

[www3.ca.com/Files/DataSheets/ims\\_solution\\_zos\\_ds.pdf](http://www3.ca.com/Files/DataSheets/ims_solution_zos_ds.pdf) - [Similar pages](#)

### Kaseya Release Notes

The agent **update** with this release corrects that conflict. ... The last known connection **data** allows an Agent to reconnect even if the **primary** and **secondary** ...  
[www.kaseya.com/sup1/release\\_notes.phtml](http://www.kaseya.com/sup1/release_notes.phtml) - 79k - [Cached](#) - [Similar pages](#)

### The Keys to Maintaining Intranet Integrity, Part 1

Mirrored Server with External **Data** Server(s). This **configuration** works well for ... In this set-up, an intranet's **primary** server is backed-up by a **secondary** ...  
[www.intranetjournal.com/articles/200408/ij\\_08\\_26\\_04b.html](http://www.intranetjournal.com/articles/200408/ij_08_26_04b.html) - 52k - [Cached](#) - [Similar pages](#)




Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google



The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)

**Web** Results 31 - 40 of about 89,300 for configuration data update primary and secondary repository. (0.1

### Windows XP Embedded Team

... and a second partition (can be either **primary** or **secondary** with a logical drive)

... Now the application can **update** its **data** file whenever it wants, ...

[blogs.msdn.com/embedded/default.aspx](http://blogs.msdn.com/embedded/default.aspx) - 70k - [Cached](#) - [Similar pages](#)

### Geospatial Data Enterprise Repository: A Report on the Prototype ...

The **Data Enterprise Repository** (DER) is designed to address LMS **data** ... Table 3

denotes the **primary**, **secondary**, and tertiary category of **data** hosted by ...

<https://www.denix.osd.mil/denix/Public/Library/LMS/Pubs/ruizfthood1.html> - 122k - [Cached](#) - [Similar pages](#)

### [PDF] BACK-END SERVERS

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... UTStarcom back-end servers support **primary**- to **secondary**-server automatic fail-

... maintenance of back-end servers, bulk **data update** interfaces enable ...

[www.utstar.com/Solutions/Document\\_Library/Switching/docs/DS\\_SW\\_BE400639\\_0803.pdf](http://www.utstar.com/Solutions/Document_Library/Switching/docs/DS_SW_BE400639_0803.pdf) - [Similar pages](#)

### Shared Schema Support

**Secondary** read-write namespaces must have a **primary** namespace as parent namespace.

... Adding schema **data** to a **secondary** read-write namespace that already ...

[www.openpegasus.org/pp/uploads/40/5192/SharedSchema1.8-PEP.html](http://www.openpegasus.org/pp/uploads/40/5192/SharedSchema1.8-PEP.html) - 33k - [Cached](#) - [Similar pages](#)

### docs.sun.com: Sun Cluster 3.1 Concepts Guide

The Cluster **Configuration Repository** (CCR) is a private, cluster-wide ...

If failover occurs, the **secondary** will become **primary** and the node highest in ...

[docs.sun.com/db/doc/816-3383/6m9lt7uuk?a=view](http://docs.sun.com/db/doc/816-3383/6m9lt7uuk?a=view) - 131k - [Cached](#) - [Similar pages](#)

[ [More results from docs.sun.com](#) ]

### Object-oriented database structure processing - Patent Storm

The **primary** and **secondary** processes can be virtual machines, ... and specified conditions to determine if attempts to insert new **data** or **update** existing. ...

[www.patentstorm.us/class/707/103Y-Object\\_oriented\\_database\\_structure\\_processing.html](http://www.patentstorm.us/class/707/103Y-Object_oriented_database_structure_processing.html) - 38k - [Cached](#) - [Similar pages](#)

### SecondaryDNS.com --- DNS Primer (print ver.) --- Powered by UltraDNS

SecondaryDNS.com provides a low-cost, 100% reliable **secondary** DNS ... server is not able to **update** its **data** by contacting the **primary** server for this number ...

[www.secondarydns.com/support/dnsprimer\\_prn.html](http://www.secondarydns.com/support/dnsprimer_prn.html) - 25k - [Cached](#) - [Similar pages](#)

### [PDF] Data Sheet Template

File Format: PDF/Adobe Acrobat - [View as HTML](#)

the **data** in the IIR **repository** for use by. other reporting tools. ... **primary** indexes.

**Secondary** index. functionality supports all IMS **secondary** ...

[www3.ca.com/Files/DataSheets/ims\\_solution\\_zos\\_ds.pdf](http://www3.ca.com/Files/DataSheets/ims_solution_zos_ds.pdf) - [Similar pages](#)

### Kaseya Release Notes

The agent **update** with this release corrects that conflict. ... The last known connection **data** allows an Agent to reconnect even if the **primary** and **secondary** ...  
[www.kaseya.com/sup1/release\\_notes.phtml](http://www.kaseya.com/sup1/release_notes.phtml) - 79k - [Cached](#) - [Similar pages](#)

### The Keys to Maintaining Intranet Integrity, Part 1

Mirrored Server with External **Data** Server(s). This **configuration** works well for ... In this set-up, an intranet's **primary** server is backed-up by a **secondary** ...  
[www.intranetjournal.com/articles/200408/ij\\_08\\_26\\_04b.html](http://www.intranetjournal.com/articles/200408/ij_08_26_04b.html) - 52k - [Cached](#) - [Similar pages](#)




Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google



The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)

**Web** Results 21 - 30 of about 30,100 for **configuration data update primary and secondary repository clust**

### Glossary

A **cluster** of features that provide high availability by enabling the ...

An LDAPv3-compliant, hierarchical **data repository** for storing enterprise user ...

[www.csee.umbc.edu/help/oracle8/server.815/a68020/glossary.htm](http://www.csee.umbc.edu/help/oracle8/server.815/a68020/glossary.htm) - 25k - [Cached](#) - [Similar pages](#)

### DBAzone.com: An Oracle Instructor's Guide To Oracle Data Guard

The **primary** database's LGWR process collects transaction redo **data** and **updates**

... Administrators are able to manage all components of the **configuration**, ...

[www.dbazine.com/oracle/or-articles/foot7](http://www.dbazine.com/oracle/or-articles/foot7) - 39k - [Cached](#) - [Similar pages](#)

### Latest additions to the Release Notes for the VERITAS 4.1 for HP ...

267994 Changing a Group from Parallel to Failover Puts **Cluster** in ... the VxDBA

**repository** was not carried over with snapshot volumes to the **secondary** host. ...

[support.veritas.com/docs/275787](http://support.veritas.com/docs/275787) - 48k - [Cached](#) - [Similar pages](#)

### Sample Chapter from Microsoft® Application Center 2000 Resource ...

Each time a member is added to the **cluster**, the **repository** will be replicated to the

... **Cluster Member Configuration**. BizTalk Server, including hot fixes. ...

[www.microsoft.com/mspress/books/sampchap/4363.asp](http://www.microsoft.com/mspress/books/sampchap/4363.asp) - 36k - [Cached](#) - [Similar pages](#)

### Version management - Patent Storm

... and apparatus for content **repository** with versioning and **data** modeling ...

A highly available object is a **primary** object and one or more **secondary** ...

[www.patentstorm.us/class/707/203-Version\\_management.html](http://www.patentstorm.us/class/707/203-Version_management.html) - 39k - [Cached](#) - [Similar pages](#)

### DICE Deployment: Stage 1 Progress

1 week, 2002-04-04, Decision on 2 **primary** groups, **secondary** groups ongoing ...

Synchronising mechanism between **updated** Database info and LDAP **data**, Started ...

[www.dice.inf.ed.ac.uk/deploy/stage1progress.html](http://www.dice.inf.ed.ac.uk/deploy/stage1progress.html) - 111k - [Cached](#) - [Similar pages](#)

### Terms and Terminology's

However, embedded information needs to be manually **updated**. ... quorum log and

**cluster** database checkpoints, which comprise the **configuration data** necessary ...

[www.pegusisfreeware.com/htmltools/Resource\\_Info/resource\\_info\\_6.htm](http://www.pegusisfreeware.com/htmltools/Resource_Info/resource_info_6.htm) - 62k - [Cached](#) - [Similar pages](#)

### Oracle9i Database Release 1 (9.0.1) New Features

**Data Guard** Redo Apply now presents a **primary** database system and its ...

For example, in a two-node **cluster configuration** where the **primary** node fails, ...

[www.cs.umb.edu/cs634/ora9idocs/server.920/a96531/ch3\\_9ir1.htm](http://www.cs.umb.edu/cs634/ora9idocs/server.920/a96531/ch3_9ir1.htm) - 233k - [Cached](#) - [Similar pages](#)

### Computerworld | Database management by automation

This is done by specifying a **primary** and **secondary** server for each service. ...

ECM provides a centralized **repository** where you can store **configuration** ...

[www.computerworld.com.au/index.php/id;1737804440;fp;2;fpid;36](http://www.computerworld.com.au/index.php/id;1737804440;fp;2;fpid;36) - [Similar pages](#)



## Glossary

An Oracle-specific **data** structure representing a Cache Fusion resource. ...

**Primary/Secondary Instance Configuration.** A **configuration** in which the **primary** ...

[www.lc.leidenuniv.nl/awcourse/oracle/rac.920/a96597/glossary.htm](http://www.lc.leidenuniv.nl/awcourse/oracle/rac.920/a96597/glossary.htm) - 60k - [Cached](#) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google